

Cebin Services

Newslettercenter

Copy returning mail to cebin.net:

Variant 1 - synchronize imap accounts: (works only when mail server is installed on destination computer)

```
cd /home/honza/imapsync-master
```

```
./imapsync --host1 imap.vshosting.cloud --user1 projektanti@revelpex.com --password1 xxx --host2 mail.cebin.cz --user2 projektanti@revelpex.com --password2 xxx
```

Variant 2

Nainstalovat getmail apt-get install getmail6
přihlásit se jako uživatel honza, nastavit mailbox v .getmail/getmailrc
spustit getmail

https://wiki.archlinux.org/title/Backup_Gmail_with_getmail

Analyze returned emails:

<https://libsisimai.org/en/start/#install>

/home/honza/sisimail/

Delete mailbox:

server: cebin.info - home/honza/mailly/delete_emails.py - před tím nastavit mailbox a adresar (inbox, trash)

Kdo kliknul na odkaz?

```
SELECT distinct email FROM nl_clicks WHERE `nl_newsletter_id` = 6
```

Způsob 2

```
./luya nlcentercmd/default/clicks 17 > nl17.txt
```

odstranění duplicit: sort nl17.txt | uniq

Alternativní rozesílání přes mail. program:

<https://www.mailerlite.com/>

Čištění

```
delete from nl_contact_contactlist
where contact_id in (
select
nl_contact_contactlist.contact_id
from
nl_contact_contactlist
left join
nl_contact
```

Cebin Services

on nl_contact_contactlist.contact_id = nl_contact.id
where id is NULL);

Aktuální stav:

jsagency

boftisk

revel

holandskonalodi

faramugo

antikvariatmotyl

babyoffice

Unique solution ID: #1052

Author: n/a

Last update: 2025-04-14 16:40